



## Hemicolectomy Operative Report

**C18.3 - Malignant neoplasm of hepatic flexure**

**C78.4 - Secondary neoplasm of small intestine (duodenum)**

**C77.2 - Secondary neoplasm of intra-abdominal lymph nodes (mesenteric)**

**K57.30 – Diverticulosis of large intestine without perforation or abscess without bleeding**

**D64.9 - Unspecified anemia**

**0DTF0ZZ - Resection, right colon, open with ileocolic anastomosis**

**07BB0ZZ - Excision, lymphatic mesenteric, open**

Rationale:

ICD-10-PCS guideline B31.b- “Procedural steps necessary to reach the operative site are not coded separately.” This guideline applies to side to side and end to end anastomosis. <AHA, *Coding Clinic for ICD-10-CM/PCS*, Q4 2014>

Do not code separately for the excision of adjacent structures (i.e., cecum, appendix, ascending colon part of transverse colon) that are inherently part of the procedure to resect an entire body part (right large intestine). <AHA, *Coding Clinic for ICD-10-CM/PCS*, Q3 2014>

If a chain of lymph nodes is excised, it should be coded as resection. If a partial removal of the lymph node chain is done, it is coded as excision. If the intent is to remove all of the lymph nodes in an area, code as resection. <AHA, *Coding Clinic for ICD-10-CM/PCS*, Q3 2014>